

06-ID-16

Committee: Infectious Diseases

Title: Revision of measles, rubella and congenital rubella syndrome case classifications as part of elimination goals in the United States.

Statement of the Problem: Expert panels in measles, rubella, infectious diseases and public health have assessed the progress toward the goals of elimination of measles, rubella and congenital rubella syndrome (CRS) and have confirmed the absence of endemic measles virus transmission since 1997 and endemic rubella virus transmission since 2000. The epidemiologic data on measles and rubella were presented by CDC to these expert panels using epidemiologic classifications that were slightly modified from the standard CSTE case definitions for measles (1997), rubella (1997) and CRS (1999). The modifications consisted basically in the detailed subclassifications of indigenous cases and the definition of endemic transmission. Because this newer terminology is relevant for monitoring the impact of imported cases on the epidemiology of measles, rubella and CRS and assessing whether endemic transmission is reestablished in the future, the CSTE case definitions should be updated to incorporate the epidemiologic subclassifications and the definition of endemic transmission.

Statement of the desired action(s) to be taken:

The following modified case classifications will be implemented for measles, rubella, and CRS: internationally imported, U.S.-acquired and import-associated.

Epidemiologic Classification:

Measles

Internationally imported case: An internationally imported case is defined as a case in which measles results from exposure to measles virus outside the United States as evidenced by at least some of the exposure period (7–21 days before rash onset) occurring outside the United States and rash onset occurring within 21 days of entering the United States and there is no known exposure to measles in the U.S. during that time. All other cases are considered U.S.-acquired.

U.S.-acquired case: An U.S.-acquired case is defined as a case in which the patient had not been outside the United States during the 21 days before rash onset or was known to have been exposed to measles within the United States.

U.S.-acquired cases are subclassified into four mutually exclusive groups:

Import-linked case: Any case in a chain of transmission that is epidemiologically linked to an internationally imported case.

Imported-virus case: a case for which an epidemiologic link to an internationally imported case was not identified, but for which viral genetic evidence indicates an imported measles genotype, i.e., a genotype that is not occurring within the United States in a pattern indicative of endemic transmission. An endemic genotype is the genotype of any measles virus that occurs in an endemic chain of transmission (i.e., lasting ≥ 12 months). Any genotype that is found repeatedly in U.S.-acquired cases should be thoroughly investigated as a potential endemic genotype, especially if the cases are closely related in time or location.

Endemic case: a case for which epidemiological or virological evidence indicates an endemic chain of transmission. Endemic transmission is defined as a chain of measles virus transmission that is continuous for ≥ 12 months within the United States.

Unknown source case: a case for which an epidemiological or virological link to importation or to endemic transmission within the U.S. cannot be established after a thorough investigation. These cases must be carefully assessed epidemiologically to assure that they do not represent a sustained U.S.-acquired chain of transmission or an endemic chain of transmission within the U.S.

Note: Internationally imported, import-linked, and imported-virus cases are considered collectively to be import-associated cases.

States may also choose to classify cases as “out-of-state-imported” when imported from another state in the United States. For national reporting, however, cases will be classified as either internationally imported or U.S.-acquired.

Rubella

Internationally imported case: An internationally imported case is defined as a case in which rubella results from exposure to rubella virus outside the United States as evidenced by at least some of the exposure period (12–23 days before rash onset) occurring outside the United States and the onset of rash within 23 days of entering the United States and no known exposure to rubella in the U.S. during that time. All other cases are considered U.S.-acquired cases.

U.S.-acquired case: A U.S.-acquired case is defined as a case in which the patient had not been outside the United States during the 23 days before rash onset or was known to have been exposed to rubella within the United States.

U.S.-acquired cases are subclassified into four mutually exclusive groups:

Import-linked case: Any case in a chain of transmission that is epidemiologically linked to an internationally imported case.

Imported-virus case: a case for which an epidemiologic link to an internationally imported case was not identified but for which viral genetic evidence indicates an imported rubella genotype, i.e., a genotype that is not occurring within the United States in a pattern indicative of endemic transmission. An endemic genotype is the genotype of any rubella virus that occurs in an endemic chain of transmission (i.e., lasting ≥ 12 months). Any genotype that is found repeatedly in U.S.-acquired cases should be thoroughly investigated as a potential endemic genotype, especially if the cases are closely related in time or location.

Endemic case: a case for which epidemiological or virological evidence indicates an endemic chain of transmission. Endemic transmission is defined as a chain of rubella virus transmission continuous for ≥ 12 months within the United States.

Unknown source case: a case for which an epidemiological or virological link to importation or to endemic transmission within the U.S. cannot be established after a thorough investigation. These cases must be carefully assessed epidemiologically to assure that they do not represent a sustained U.S.-acquired chain of transmission or an endemic chain of transmission within the U.S.

Note: Internationally imported, import-linked, and imported-virus cases are considered collectively to be import-associated cases.

States may also choose to classify cases as “out-of-state-imported” when imported from another state in the United States. For national reporting, however, cases will be classified as either internationally imported or U.S.-acquired.

CRS

Congenital Rubella Syndrome cases will be classified epidemiologically as internationally imported or U.S.-acquired, according to the source of infection in the mother, using the definitions below, which parallel the classifications for rubella cases.

Internationally imported case: To be classified as an internationally imported CRS case, the mother must have acquired rubella infection outside the U.S. or in the absence of documented rubella infection, the mother was outside the United States during the period when she may have had exposure to rubella that affected her pregnancy (from 21 days before conception and through the first 24 weeks of pregnancy).

U.S.-acquired case: A US-acquired case is one in which the mother acquired rubella from an exposure in the United States. U.S.-acquired cases are subclassified into four groups as described above in the rubella case classification section.

Note: Internationally imported, import-linked, and imported-virus cases are considered collectively to be import-associated cases.

States may also choose to classify cases as “out-of-state-imported” when imported from another state in the United States. For national reporting, however, cases will be classified as either internationally imported or U.S.-acquired.

Public Health Impact:

In 2000, an expert panel unanimously agreed that measles virus was no longer endemic in the United States. Of the 320 cases of measles reported during 2001–2005, 148 (46%) were internationally imported, and 270 (84%) were import-associated. In 2004, an expert panel unanimously agreed that rubella virus was no longer endemic in the United States. Of the 70 cases of rubella reported during 2001–2005, 22 (31%) were imported.

Because rubella and measles are no longer endemic in the United States, their future epidemiology here will likely reflect their global epidemiology. The modification of the importation status will clearly define the origin of each case, better defining the need for targeted prevention efforts.

Coordination:

Agencies for Response:

- (1) Julie L. Gerberding, MD
Director
Centers for Disease Control and Prevention
1600 Clifton Road
Atlanta GA 30333
404-639-7000
jyg2@cdc.gov

Submitting Author:

- (1) Paul R. Cieslak, MD
Medical Epidemiologist
Oregon State Public Health
800 NE Oregon Street
Portland, OR 97232
971-673-1111
paul.r.cieslak@state.or.us